

1ºP



市区加加加加



We invite you to discover what **over 40 years** of wood door manufacturing experience can bring to your next project.

A 3rd generation, family-owned company located in the beautiful Pacific Northwest, Lynden Door, Inc. builds residential, commercial and architectural doors suited for nearly every type of application or market segment, no matter the scale, location or complexity. Our customization capabilities and wide breadth of interior door styles and designs will offer a solution for any of your decor and building needs.

Lynden Door has a unique history serving God through supporting the needs of its employees, their families and evangelical ministries in the community of Lynden, WA and beyond.

We trust that you will find our passion for crafting beautiful, durable, high quality doors and providing exceptional customer service is distinctly evident.

We are genuinely grateful for your business and support.





SERVICES • OPTIONS



FIRE DOOR Any of our solid core interior panel doors are available with a 20-minute fire rating for your "House To Garage" application. Lynden Door also offers a full suite of neutral and positive pressure fire doors for 20, 45, 60 and 90-minute rated applications.



STC Sound transmission control up to STC 46 suitable. Lynden Door offers sound rated doors to meet the demands of high-sound impact areas found in both residential communities and businesses near airports, high traffic areas and other noise pollution.



SUSTAINABLE With a history of commitment to environmental stewardship, Lynden Door is responsive to the green programs and materials in our marketplace. Meeting current government emissions standards, LEED-compliant options are available for virtually every door we make.



GLAZING, VISION LITES, AND APPLIED MOLDING Factory door prep and machining for in-house lite installations and applied moldings open opportunities for unique design choices such as interior French doors that match your solid core panel doors and our VanAir Ventilated Doors.



CUSTOM ROUTING AND INLAY Add design flair to wood veneer or painted flush doors with custom CNC routed lines and angles. Ask us about inlays.

FACTORY FINISHING Lynden Door offers a variety of factory finish options for all your design needs – clear and custom factory finishes and durable non-marring custom painting – all of which are produced under very strict quality controls and contain no VOC's (Volatile Organic Compounds).

FACTORY MACHINING FOR HARDWARE Lynden Door is fully equipped to carry out the most demanding and complex machining instructions and hardware preparations with automated precision.





Uniform Light Birch Veneer Aberdeen Molded White Oak StileLine®

Alki FineLine

FINELINE

Minimalistic. Contemporary.

FineLine doors by Lynden Door bring a fresh, stylish appearance to any interior space.

FineLine's grooved profile lines are positioned to bring linear dimension as a modernizing accent or simply to bring structure to contemporary spaces.



All FineLine profiles are available in 6'8", 7'0" and 8'0" heights.

Alki, Denman and Robson 8'0" door designs feature 6 panels.

Bifolds are available in the Denman, Montlake, Parkrose and Robson designs. Match Alki doors with Robson or Denman bifolds and Laurelhurst with Parkrose bifolds.





A modernizing solution to contemporary spaces.

- Smooth, routed MDF surface is ready for paint.
- Route lines are .20 inches wide, .045 inches (+/- .005) deep with a 30 degree bevel providing an easily paintable surface within the groove lines.



- Six standard profiles offered in 6'8" with optional 7'0" and 8'0" heights.
 Up to 4'0" wide, greater widths available special order.*
- Paired doors and 4-door bifolds are available as special order.*
- Profile lines positioned to accommodate most hardware locations.
- 1-3/8" and 1-3/4" thickness, hollow and solid core available.
- FineLine bifolds available in the following profiles: Robson, Denman, Parkrose, Montlake.
- Up to 90-minute fire rating available as Category A or B.*

*Contact your Lynden Door representative for more information.



FINE LINE





The excitement of European styling with an opposing grain creates a bold, modern look at an attractive price.* ◆

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom options

VanClin: Ventilated Door



AFRICAN MAHOGANY Sketch-Face Quarter Sawn



WHITE MAPLE Sketch-Face Plain Sliced



WHITE OAK Sketch-Face Rift Cut



BLACK WALNUT Sketch-Face Quarter Sawn









The Rediscovery Collection provides contemporary and custom expressions in vertical grain, horizontal grain or Sketch-Face designs, species and finishes.* •

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Custom Options

VanClir. Ventilated Door





COMPOSITION

Inlays Shown in Sapele/Maple

Inlays Shown in Maple/Sapele



TABLEAU Horizontal Grain Shown in Walnut



RHYTMUS Sketch-Face Shown in Jatoba



Pacific Collection and ClearLine Factory Finish

Lynden Door's Pacific Collection and ClearLine Factory Finish offers a state of the art VOC free, ultraviolet cured custom stain or clear finish.

The highly affordable finishes are available with all wood veneer doors. See page 6 for more information.

- * Available with Pacific Collection and ClearLine Factory Finish.
- Horizontal grain pair matches are not available.
 Pleasing matches available by special order.



Lynden Door wood veneer doors provide the beauty and warmth of natural wood and one of a kind, unique wood grain patterns. All wood veneers are pre-graded to ensure defect-free surfaces. Ask your Lynden Door distributor for matching wood jambs and millwork.

- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4"
- Rated/non-rated options
- Special order wood veneers available





MAHOGANY Rotary Cut

6



Rotary Cut



UNIFORM LIGHT BIRCH Rotary Cut



WHITE MAPLE Rotary Cut



RED OAK

Pacific Collection

The Pacific Collection is a carefully composed array of stain colors and ClearLine applied to any wood veneer by skilled technicians in a tightly controlled production environment. Due to their excellent stainability, we recommend Pacific Collection stains for **Natural Birch, Red Oak** and **White Maple.** Stain colors shown with White Maple wood veneer.

- 100% colorfast, stains consists of organic earthen pigments
- Non-flammable, does not influence flame spread rating or smoke density
- Ultraviolet inhibitors keep the finish "water white" (clear)
- Protects and slows the natural aging of the wood
- Custom color matches available



Photographs are a close approximation of stain colors. Do not make final color selection based on this page. Contact Lynden Door for stain veneer samples to provide a closer representation of the finished appearance. Actual COLOR and GRAIN may vary from the EXAMPLES shown above.

ELEMENTAL

ELEMENTAL door designs are characterized by clean, simple lines. Offering a modern take on traditional wood and molded doors, the 1- and 2-Panel door designs allow room for interpretation in any architectural and interior design environment.

- Smooth, bevel grooved MDF surface, ready for paint
- 6" stile width easily accommodates door hardware
 (6" stile width on doors wider than 2'0" and up to 4'0",
 5" stile width on doors 2'0" and under)
- 10" bottom rail meets most disability access requirements
- Up to 90-minute fire rating available.* 6'8", 7'0" and 8'0" heights
- 1-3/8" and 1-3/4" thickness, hollow and solid core
- Matching bifold doors available.*

 $^{*}\mbox{Contact}$ your Lynden Door representative for more information

ELEMENTAL Collection





ELEMENTAL 2-PANEL





ELEMENTAL doors are well suited for the VanAir Ventilated door construction, opening opportunities to contemporary door design for all your interior door openings.

Van**Qir.** Ventilated Door

lyndendoor.com/vanair



StileLine[®] • ReDiscovery

ELEMENTAL VANAIR 1-PANEL ELEMENTAL VANAIR 2-PANEL



PERFORMANCE VENEER

Lynden Door introduces the innovative New Leaf[™] Performance Veneer Door Collection; bringing the appearance and warmth of natural woodgrain and advanced antimicrobial surface protection treatments to your home through pioneering modern technology.

THE NATURE OF INNOVATION

The artist behind our New Leaf Performance Veneer Door Collection is nature itself. Each performance veneered surface is a high resolution image of authentic natural wood veneer, hand-selected for its perfect embodiment of the character and grain of that wood species and cut.

The innovation is possible through advanced reproduction technologies and a revolutionary protective topcoat that refracts light, allowing the depth and clarity of the woodgrains to shine through.

Beautifully predictable surfaces set a new standard for enduring natural style and remain consistent over time.

- New Leaf Antimicrobial Protection inhibits the growth of stain and odor causing bacteria, mold, and mildew through proven silver ion technology
- Offered in 6'8", 7'0", 8'0" heights and up to 4'0" in width
- Two door and four door bifolds available
- Available as hollow or solid core, 1-3/8" and 20-minute rated/non-rated 1-3/4"
- Additional wood species and stains colors available, including Natural, Toffee, Merlot, Stone and Slate
- Pre-coat polyurethane finishes available in Matte, Semi-gloss and new Matte Grain Texture.
- The New Leaf Matte Grain finish adds natural luster, warmth, and character that enhance surface beauty for a rich, sensory experience.









technology

*Results of Performance Veneer vs. traditional veneer with UV clear finish using standard industry testing procedures. Results above are "up to" performance statements and may vary based on individual manufacturer's topcoat formula.



New Leaf Performance veneer grain is not shown at 100% scale. Colors shown are printed reproductions. For maximum fidelity, please request product samples.

PREFINISHED HARDBOARD

Durable. Stable. Affordable.

Prefinished Hardboard doors by Lynden Door arrive ready to install with a factory applied, uniform finish that is durable and low maintenance.

- 1-3/8" and 1-3/4" hollow or solid core construction
- 1-3/4" 20 & 60-minute rated fire doors
- Smooth, textured, embossed
- Door skins made from industrial grade MDF board
- Several finish options available with color coordinated pre-painted wood edges





RIFT CUT COFFEE Textured



RIFT CUT SLATE Textured



RIFT CUT MEDIUM WALNUT Textured



VAILABLE AS

Van**Qir**. Ventilated Door

RIFT CUT TEAK Textured







An affordable alternative to wood veneer flush doors, our Prefinished Hardboard doors offer a painted, grain printing process in a variety of colors. This technology is perfect for residential and commercial applications such as single-family homes, multi-family apartments, assisted care, and hospitality projects where a prefinished surface is desired at an affordable price.

Offered in a variety of surface finishes in a wide color spectrum from light to dark and traditional to contemporary.



CRYSTAL WHITE Embossed



BEAUPORT WALNUT Embossed



MENDOCINO OAK Embossed



WESTERN HEMLOCK

Smooth



COASTAL HEMLOCK Smooth

ALBANY MAPLE Smooth



ALPINE OAK Smooth



NEWPORT CHERRY Smooth

Photographs are a close approximation of stain colors and may vary from actual products.

Please contact Lynden Door customer service for prefinished hardboard color samples.





MOLDED & FLUSH

Uniquely Versatile.

Stable Performance. No cracking or panel separation.

Superior Value. Compelling design and customizing opportunity at a significant value versus solid wood doors. All Lynden Door molded and flush panels are factory primed, pre-graded and acclimated before fabrication to produce top quality, stable surfaces. Molded and Flush door panels offer an ideal substrate for finish painting.

- Molded fiberboard facings resist joint separation
- Hollow or solid core
- Matching bifolds
- 1-3/8" and 1-3/4" in 6'8", 7'0" & 8'0" (See sizing guide for more information.)
 - STC and fire rated options









WHITMAN Smooth Flat Panel



Flat Panel





WINTHROP Smooth Flat Panel





Smooth

Flat Panel



Molded doors have become a major influence in the residential and light commercial built environment.

Lynden Door's extensive collection of smooth and textured molded and flush door designs suits virtually every taste and decor. Offered in raised and flat panel profiles, molded panel doors are an attractive fit for traditional and contemporary spaces with flexible construction in hollow or solid core and rated/non-rated options.

Primed Flush doors are available smooth and textured, hollow or solid core and with rated/non-rated and VanAir Ventilated door options.



STOCK SIZING GUIDE

				PASSAGE DOOR WIDTHS													BIFOLD DOOR UNIT WIDTHS										
																		2-DOOR UNITS 4-DOOR UNITS									
6'8" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"	
MERCER	FP	S	-	•	•	\checkmark	\checkmark	\checkmark	•	~	~	~	~	\checkmark	✓	✓	•	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	✓	\checkmark	\checkmark	
WHITMAN	FP	S	-	•	•	✓	\checkmark	✓	✓	✓	✓	✓	✓	✓	\checkmark	✓	•	~	✓	✓	✓	✓	✓	✓	✓	✓	
ABERDEEN	FP	S	•	•	•	•	~	\checkmark	~	✓	✓	~	~	\checkmark	✓	✓	•	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	\checkmark	\checkmark	\checkmark	
YARROW	FP	S	-	•	•	-	\checkmark	\checkmark	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	•	\checkmark	✓	✓	✓	✓	\checkmark	✓	\checkmark	✓	
WINTHROP	FP	S	-	-	•	-	\checkmark	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	✓	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
KINGSTON	RP	S	-	•		\checkmark	\checkmark	\checkmark	-	\checkmark	-	✓	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark							
ROSARIO	RP	S	-	-	-	\checkmark	\checkmark	\checkmark	-	\checkmark	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
LOPEZ	RP	S	-	-			\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	\checkmark	\checkmark										
SAMISH	RP	S	-	-	•	-	\checkmark	\checkmark	•	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	✓	✓	\checkmark	\checkmark	\checkmark							
BENTON	RP	S	-	-	•		\checkmark	\checkmark	-	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	\checkmark	\checkmark	\checkmark							
COLUMBIA	RP	S	-	-	\checkmark	\checkmark	\checkmark	\checkmark	-	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
BLAKELY	RP	Т	-	•	•	\checkmark	\checkmark	\checkmark	•	\checkmark	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	\checkmark	\checkmark							
BONNEVILLE	RP	т			\checkmark	\checkmark	\checkmark	\checkmark	-	\checkmark	-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
7'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"	
MERCER	FP	S	-	-	-	\checkmark	\checkmark	✓	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	✓	✓	-	-		-	-	-	•	-	-	-	
WHITMAN	FP	S	-	•	•	-	\checkmark	•	-	-	-	•	•	•	•	-											
ABERDEEN	FP	S	-	-	•	-	\checkmark	-	-		-		•	•	•	-	-										
YARROW	FP	S	-		•	-	•		•	\checkmark	•	-	•	•	•	•	•	•	-	•							
WINTHROP	FP	s			•	-	-			•		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-	-		-		-	-		-		
KINGSTON	RP	S	-	-			-	\checkmark	-	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	•	✓	\checkmark	\checkmark	\checkmark	\checkmark	✓	\checkmark	✓	\checkmark	
ROSARIO	RP	s				-	-	\checkmark		\checkmark	-	-		-		-			-								
LOPEZ	RP	S	-		•	-	-	-					-	-			•	-	•	-	-	•	•	•	-		
SAMISH	RP	S		•	•	•	-		•	•	•	•	\checkmark	\checkmark	\checkmark	\checkmark	•	-		-		•	•		-	•	
COLUMBIA	RP	S	-	•	•	-	-								-	\checkmark	•	-	•	\checkmark		✓	•	\checkmark	-	\checkmark	
BONNEVILLE	RP	т		•			•		•	•	•	•				✓						\checkmark	•		-	\checkmark	
8'0" Height			1'0"	1'2"	1'3"	1'4"	1'6"	1'8"	1'10"	2'0"	2'2"	2'4"	2'6"	2'8"	2'10"	3'0"	1'6"	2'0"	2'4"	2'6"	2'8"	3'0"	4'0"	5'0"	5'4"	6'0"	
MERCER	FP	S	-	-	-	\checkmark	\checkmark	-	-	\checkmark	-	\checkmark	\checkmark	\checkmark	✓	✓	-	-		-	-	-	•	-	-		
WHITMAN	FP	S		•		-	\checkmark	-	•	\checkmark		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-	-		-	-	-	-	-	-	-	
ABERDEEN	FP	s	-	-	•	-	\checkmark	•	•	\checkmark	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-	-		-	•	•	•	•	-	-	
WINTHROP	FP	S					\checkmark	\checkmark	•	\checkmark	•	-				-	•	•	-	•							
KINGSTON	RP	S	-							\checkmark	•	-		-		•	•		-								
ROSARIO	RP	S	NA	•	•	-		\checkmark		\checkmark	•	NA	•	•	•	•	NA	•		•							
LOPEZ	RP	S	•	•	•	•	\checkmark		\checkmark	•	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-	•		-		•	-	•	-		
SAMISH	RP	S	•	•	•	•	✓	✓	•	✓		✓	✓	✓	✓	✓	•	•	-	•	•	•	•	•	-	•	
BENTON	RP	S	-	-	•	•	✓	✓	•	√ √	✓ -	√ √	\checkmark	\checkmark	✓	✓ ✓	•	•	•	•		•	•			•	
COLUMBIA BONNEVILLE	RP RP	S T								✓ ✓	-	√ √	\checkmark	\checkmark		\checkmark		■ √	■ ✓								
FP - Flat Panel			oth Su				ble – s	stock i	tem	,	N/	. – No	• t Avail	able						•	•	•			•		
RP - Raised Pan										er Ser					3667)	or em	ail info	@lync	lendo	or.com	for m	ore in	forma	tion.			

Door sizing is divided into two basic categories: Molded Panel and Flush doors.

Molded panel doors are available in a standard range of sizes, based on our ability to configure the molded panels - please consult the chart.

Flush doors STANDARD RANGE: 1'0" to 4'0" in width, up to 8'0" in height. Custom sizing is available, however, some restrictions may apply. Flush doors include: wood veneer; StileLine[®] sketchface veneer and the ReDiscovery Collection; New Leaf[™] Performance Veneers; prefinished hardboard; and high pressure decorative laminates (not shown in this brochure). Flush doors are not constrained by panel lay-out like molded panel doors and are available in a great variety of sizes.

Sizing Notes: Lynden Door wholesale distributors add significant value and convenience by maintaining large inventories of standard size doors for competitive pricing and fast delivery. Custom sizing is a common service at Lynden Door and we thrive on accommodating your special needs at an affordable price. However some restrictions may apply.

Lynden Door fabricates **Standard** height doors with wider top and bottom rails: 2" – 2-1/4" after trim. This allows for site trimming of doors up to 1" on each end without compromising the warranty.

Door face stiles 4-1/8" or smaller do not accommodate a 2-3/4" back-set preparation. Please contact your Lynden Door representative for non-stock stile width measurements.

Blended Offering: Lynden Door's unique product portfolio offers residential, architectural (LD), and commercial (CD) doors all made in one facility. This blended offering allows us to meet the needs of even the most diverse specification as we can draw from the strengths of all three door series.

Vancir, Ventilated Door

Comfort and Well-Being.

THE VANAIR VENTILATED DOOR challenges the traditionally held views of what a door is supposed to do.

VanAir Ventilated Doors offer air flow pathways promoting comfort and well-being in your home and reduces the need for vents, grilles, dropped ceilings and ducting which can interfere with surrounding design elements and aesthetics.

- Create comfortable room environments by alleviating temperature, humidity and pressure build-up
- Reduce carbon dioxide build-up for healthier spaces
- Keep laundry appliances and bathroom exhaust fans running efficiently
- Improve ventilation without the use of unsightly vents and grilles
- 1-Year Limited Interior Warranty
- Available with StileLine[®], ReDiscovery, FineLine, wood veneers, Elemental, prefinished hardboard and primed flush door styles
- 1-3/8" and 1-3/4" Non-rated

Airflow Channel Staggered ventilation slots on opposing faces form a discreet and elegant ventilation pathway.

Up to Up to Equivalent to a 140 in² 170 CFM 12"x12" Ventilation area at 5 Pa Sound Privacy Sound absorbing resonators and acoustic baffles provide sound privacy similar to a solid door.









2077 Main Street Lynden, WA 98264

Phone: 800.631.DOOR (3667) 360.354.5676

FAX: 360.354.3738

info@lyndendoor.com

lynden**door**.com



