



INTERIOR DOORS

Flush and Molded

BROUGHT TO YOU BY:



MASONITE

Masonite is built on a nearly 100year history of innovation and sustainability. We proudly manufacture our doors using renewable natural resources to be better stewards of our planet. We thoughtfully design our selection and purchase processes to provide a best-in-class customer experience. We strive to deliver on these promises – every time.

We are on a mission to make life better as we elevate the "everyday door" into something extraordinary. We create beautiful, durable exterior and interior Doors That Do More™ in a curated portfolio that fulfills human needs for comfort, safety, security, and convenience so that people can rest, learn, work, and live more comfortably.

As we enter our next century, we will continue to ask what more can our doors do to make life better.





- Solid Core Doors 3
- Home Styles Defined 5
- Home Styles Classic 7
- Home Styles Craftsman 13
- Home Styles Transitional 19
 - Home Styles Modern 25
 - Design and Size Options 31

COVER: Livingston in Tricorn Black SW 6258

> THIS PAGE: Logan in Pure White SW 7005

All paint colors ©2022 The Sherwin-Williams Company

▲ WARNING: This product can expose you to chemicals including wood dust, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



Doors Designed to be Different

Make Solid Core the Standard

With 70% more sound-dampening material than our standard hollow core doors, Masonite® interior solid core doors ensure noise control and privacy throughout the home. No matter the home design or budget, you can make solid core the standard.





Establish a new standard with Masonite solid core doors – a stylish and durable solution that helps manage sound.



Logan' Solid Core Door

Scan the QR code to learn more about solid core doors.





Home Styles Defined

Doors make all the difference when it comes to introducing a space and those who live in it - that's why Masonite offers doors that complement any home.



Classic Page 7

Well-balanced elegance inspired by historic details.



2-Panel Square in Acier SW 9170



Winslow in Dard Hunter Green SW 0041

Craftsman Page 13

Character, authenticity and artisan details that reflect heritage.



To simplify the selection process, doors are arranged based on the four most popular styles of homes in the United States: Classic, Craftsman, Transitional and Modern.



Transitional Page 19

A versatile mix of modern and traditional elements.



Logan in Evening Shadow SW 7662



Modern Page 25

Clean lines, minimal decoration and purposeful materials.



Livingston in Egret White SW 7570

CLASSIC

Well-balanced elegance inspired by historic details

Classic homes are renowned for beauty and symmetry. These homes are often arranged around unique focal points with doors serving as defining architectural statements.

Colors: Colors blend rich saturated tones with warm neutrals.

Materials: Quality materials combine with ornate elements.

House Styles: Colonial, Cape Cod, Dutch Colonial, Cottage, Federal, French Country Provincial, Georgian, Mediterranean, Spanish, Pueblo, Spanish Revival, Tudor, Victorian







2-Panel Arch in Gypsum SW 9543



2-Panel Roman in Sanctuary SW 9583



4-Panel in Deep Forest Brown SW 9175



6-Panel in Natural White SW 9542





Classic Door Selection

Simple, pleasing lines that offer timeless appeal and adds a defining element to any space.



4-Panel

6-Panel



2-Panel Roman in Charcoal Blue SW 2739

Craftsman

Character, authenticity and artisanal details

Craftsman homes reflect heritage and quality. Wood and wood-textured doors add warmth while recessed shaker-style panels and other artisan details convey craftsmanship.

Colors: Soft colors draw inspiration from nature.

Materials: Strong, natural materials create the foundation of this style.

House Styles: Ranch, Arts and Crafts, Farmhouse, Bungalow, Mission Revival, Prairie, Four Square





Winslow in Labradorlite SW 7619



Cheyenne in Renwick Rose Beige SW 2804





Riverside in Gray Matters SW 7066

Logan in Salty Dog SW 9177





Craftsman Door Selection

Clean lines help convey traditional craftsmanship and stimulate an original stile and rail door.



Cheyenne®



Riverside*



Lincoln Park in Peristyle Brass SW 0043

TRANSITIONAL

A versatile mix of modern and traditional

Transitional homes transcend eras to create the ultimate mix of style and comfort. Within these blended abodes, doors unify spaces and complement key details.

Colors: Soft and tonal colors create a calming backdrop.

Materials: Sturdy materials blend with softer details.

House Styles: Modern Farmhouse, Ranch, Contemporary International, Scandinavian, Coastal, Bohemian, Southwestern



Fabric MOODBOARD Pendant Lamp DESIGN **INSPIRATION** PRIMARY PALETTE Masonite® Logan® Door Origami Vinyl Wood White SW 7636 Flooring \leftarrow Picket Ceramic Tile **Black Granite** Countertop Modern Copper Faucet SECONDARY PALETTE Farmhouse Favorite Jeans SW 9147 Smoky Parisian Patina SW 9041 Sink with Meander Jay Blue SW 6797 Blue SW 7604 venue Ta SW 7543 **Gold Faucet** Blue SW 6484



Riverside in Avenue Tan SW 7543





2-Panel Square in Alabaster SW 7008

Livingston in Black Magic SW 6991





Transitional Door Selection

Embracing a timeless aesthetic and a relaxed feel with smooth blending details that help create a warm yet modern interior.



MODERN

Clean lines, minimal decoration and purposeful materials

Modern homes reject excess and focus on purposeful minimalism. Throughout these crisp, uncluttered spaces, doors make simple yet bold design statements.

Colors: Neutrals contrast with occasional bright pops of color.

Materials: Combine form and function by mixing manmade and natural elements.

House Styles: Contemporary, Ranch, Prairie, Art Deco, Industrial, Streamline Modern, Post-Modern, Minimalist, Modern Gable, A-Frame, Mid-Century Modern





CRAFTSMAN



Melrose in African Gray SW 9162





Hardwood Flush Veneer

Livingston in Inkwell SW 6992





MODERN

Modern Door Selection

Embossed lines embody minimalism and present a streamlined and sophisticated look.

Livingston®



Berkley®

Melrose®





Melrose in Pure White SW 7005

Design and Size Options

| | | | | | | | PA | SSA | GE | | | | | | | | | BI | FOL | DS | | | |
|------------------|---------------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | LIVINGSTON | 12″′ | 14″ | 15″ | 16″ | 18″ | 20″ | 24″ | 26″ | 28″ | 30″ | 32″ | 34″ | 36″ | 18″ | 24″ | 28″ | 30″ | 32″ | 36″ | 48″ | 60″ | 72" |
| LIVINGS | ON (3 PANELS) | | | | | | | | | | | | | | | | | | | | | | |
| | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| ADA Compliant | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |

| | | | | | | | PA | SSA | GE | | | | | | | | | BI | FOL | DS | | | |
|------------------|-----------------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| HE | RITAGE SERIES | 12″ | 14″ | 15″ | 16″ | 18″ | 20″ | 24″ | 26″ | 28″ | 30″ | 32″ | 34″ | 36″ | 18″ | 24″ | 28″ | 30″ | 32″ | 36″ | 48″ | 60″ | 72" |
| LINCOLN F | PARK (1 PANEL) | | | | | | | | | | | | | | | | | | | | | _ | |
| | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| ADA Compliant | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| LOG | AN [®] (2 PANELS) | | | | | | | | | | | | | | | | | | | | | | |
| | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| ADA Compliant | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| WINSLO | DW [®] (3 PANELS) | | | | | | | | | | | | | | | | | | | | | | |
| ADA | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |
| Compliant | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | • | • | • | • |

| PASSAGE | | | | | | | | | | | | | | BIFOLDS | | | | | | | | | | |
|------------------|------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|--|
| WEST END | COLLECTION | 12″ | 14″ | 15″ | 16″ | 18″ | 20″ | 24″ | 26″ | 28″ | 30″ | 32" | 34″ | 36″ | 18″ | 24″ | 28″ | 30″ | 32" | 36″ | 48″ | 60″ | 72" | |
| | BERKLEY'** | | | | | | | | | | | | | | | | | | | | | | | |
| | Smooth 80" | •* | •* | •* | •* | •* | •* | • | • | • | • | • | • | • | | • | | • | | • | | | | |
| Smooth 84" | | •* | •* | •* | •* | •* | •* | • | • | • | • | • | • | • | | • | | • | | • | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| ADA | Smooth 80" | •* | •* | •* | •* | •* | •* | • | • | • | • | • | • | • | | • | | • | | • | | | | |
| ADA Compliant | Smooth 84" | •* | •* | •* | •* | •* | •* | • | • | • | • | • | • | • | | • | | • | | • | | | | |

*Thinner outer style will not affect functionality.

**Not for use with double doors.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Doors Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.

All doors available with fire rating.

| | | | | | | | | F | PASS | SAG | E | | | | | | | | | | | | | | |
|-----------|------------|--------------------------|-----|-----|-----|-----|-----|-----|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | MOLDED | PANEL DOORS | 12″ | 14″ | 15″ | 16″ | 18″ | 20″ | 24″ | 26″ | 28″ | 30″ | 32″ | 34" | 36″ | 42″ | 18″ | 24″ | 28″ | 30″ | 32" | 36″ | 48″ | 60″ | 72" |
| | 2 PAN | NEL ARCH-TOP | | | | | | | | | | | | | | | | | | | | | | | |
| | | Textured 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | 2 PANEL RO | MAN SMOOTH | | | | | | | | | | | | | | | | | | | | | | | |
| | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 96" | | | | | • | • | • | • | • | • | • | • | • | | | | | • | • | • | | • | • |
| | | CHEYENNE | | | | | | | | | | | | | | | | | | | | | | | |
| | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | 2 PANEL | | 1 | 1 | 1 | 1 | | | | 1 | 1 | | | 1 | | | | 1 | 1 | 1 | 1 | 1 | | |
| | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | 4 PANEL | | 1 | 1 | | | | 1 | | | | | | | | | | | | | | | | |
| | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| ШШ | | Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | RIVERSIDE [∞] | | | | | | | | | | | | | | | | | | | | | | | |
| | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | 6 Pane | els Smooth 96" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | 6 PANEL | | | | | | | | | | | | | | | | | | | | | | | |
| 1001 1001 | | Smooth 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Textured 80" | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • |
| | | Smooth 84" | • | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Textured 84" | | | | | | | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • |
| | | Smooth 96" | • | • | ٠ | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | • | • | • |
| | | Textured 96" | | | | | | | • | • | • | • | • | • | • | | • | • | • | • | • | • | • | • | • |
| | ADA | COMMERCIAL Smooth 80" | | | | | | | | | | • | • | • | • | | | | | | | | | | |
| | Compliant | Smooth 84" | | | | | | | | | | • | • | • | • | | | | | | | | | | |

| | | | | | | PA | SSA | GE | | | | | | BIFOLDS | | | | | | | | | |
|-----------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|-----|-----|-----|-----|-----|-----|-----|-----|--|
| FLUSH SERIES | | | 15″ | 16″ | 18″ | 20″ | 24" | 26″ | 28″ | 30″ | 32" | 34" | 36″ | 18″ | 24" | 28″ | 30" | 32" | 36″ | 48″ | 60″ | 72" | |
| 80", 84", 96" Heights | 12″ | 14″ | | 10 | 10 | 20 | 24 | 20 | 20 | 50 | 52 | 34 | 30 | 10 | 24 | 20 | 30 | 52 | 50 | 40 | 00 | " | |
| MDF | | | | | | | | | | | | | | | | | | | | | | | |
| Primed | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |
| VENEER | | | | | | | | | | | | | | | | | | | | | | | |
| Oak, Birch, Hardwood | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | |

CLASSIC



